




REV	ECN	APP'D
-	6582	<i>JK 9/10/10</i>



WHITE MARKING
.06 HT

DATE CODE

NOTES:

1. MATERIALS:

HOUSING: POLYETHERIMIDE, COLOR BLACK
GROMMET: SILICONE ELASTOMER, COLOR BLUE
INTERNAL CONTACT: COPPER ALLOY, GOLD PLATED,
PER MIL-DTL-45204, TYPE I, GRADE C, CLASS I
50 MICROINCH MIN. OVER NICKEL PER SAE-AMS-QQ-N-290,
CLASS 1, 50/30 MICROINCH MIN.

CONTACT RETAINER: STAINLESS STEEL

2. SPLICE ACCEPTS (4) MATING M39029/1-100 CONTACTS (INCLUDED)

3. PART COMPLIES TO ALL REQUIREMENTS PER SAE-AS8174.

4. RESISTOR: 39.2Ω , 1/4W, $\pm 1\%$, RLR07C39R2FS

DIMENSIONS ANSI Y14.5M UNITS: INCHES Pro/E FILE	TOLERANCES .XX ± 0.01 .XXX ± 0.005 ANGLES $\pm 2.0^\circ$	PROJECTION 	Amphenol Pcd SPECIFICATION DRAWING		TITLE WIRE SPLICE, ELECTRONIC RESISTOR, 39.2Ω , 1/4W, 1% SIZE 22	
			ENGR M. DiGIACOMO 08/12/09			
ORIGINAL	THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION WHICH IS THE CONFIDENTIAL PROPERTY OF AMPHENOL PCD BEVERLY, MA, USA	CHKD <i>Rick Neuman 9/10/10</i> APPD <i>JK 9/10/10</i>	SIZE A	DWG NO. TJSE22841_C	REV -	
			CODE: 58982	SCALE: 2:1	SHEET 1 OF 1	